

Refine Search

Search Results

Terms	Documents
L31 and L39	6

Database:

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

Unpublished Applications Full-Text Database

Search Type: ☐ Prior Art ☒ Interference

Search:

L40

Refine Search

Recall Text



Clear

Interrupt

Search History

DATE: Tuesday, October 25, 2011 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

<u>Set Name</u> Side by Side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> Result Set	<u>Set Name</u> Grid
<i>Interference Searches</i>				
<i>DB=PGPB,USPT,UPAD; PLUR=NO; OP=ADJ</i>				
L40	L31 and L39	6	L40	L40
L39	(EPO or erythropoietin or rhEPO or rhuEPO or human EPO or human erythropoietin or recombinant EPO or recombinant erythropoietin).clm.	3634	L39	L39
L38	L31 and L37	5	L38	L38
L37	(EPO or erythropoietin or rhEPO or rhuEPO or human EPO or human erythropoietin or recombinant EPO or recombinant erythropoietin).ti.	482	L37	L37
L36	L31 and L35	5	L36	L36
L35	(EPO or erythropoietin or rhEPO or rhuEPO or human EPO or human erythropoietin or recombinant EPO or recombinant erythropoietin).ab.	775	L35	L35
L34	(L33) and (EPO or erythropoietin or rhEPO or rhuEPO or human EPO or human erythropoietin or recombinant EPO or recombinant	27	L34	L34

	erythropoietin)			
<u>L33</u>	L31 and L32 (composition\$ or formulation\$ or solution\$ or preparation\$ or pharmaceutical\$ or therapeut\$).ti. or (composition\$ or formulation\$ or solution\$ or preparation\$ or pharmaceutical\$ or therapeutical\$).ab. or (composition\$ or formulation\$ or solution\$ or preparation\$ or pharmaceutical\$ or therapeutical\$).clm.	309	<u>L33</u>	<u>L33</u>
<u>L32</u>		1179240	<u>L32</u>	<u>L32</u>
<u>L31</u>	L29 and L30 (PEG\$ or propylene glycol or polyethylene glycol or glycerol or polypropylene glycol or polyhydr\$ or polyhydric alcohol\$) with (m/v or mass/vol or weight/vol or mass/volume or wt/volume or wt/vol\$ or weight/volume or w/v)	526	<u>L31</u>	<u>L31</u>
<u>L30</u>		12150	<u>L30</u>	<u>L30</u>
<u>L29</u>	(L28) and (mannitol)	2204	<u>L29</u>	<u>L29</u>
<u>L28</u>	(sugar or sugar alcohol or mannitol) with (m/v or mass/vol or weight/vol or mass/volume or wt/volume or wt/vol\$ or weight/volume or w/v)	2637	<u>L28</u>	<u>L28</u>
<i>Prior Art Searches</i>				
<i>DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=NO; OP=ADJ</i>				
<u>L27</u>	L17 and L26 (EPO or erythropoietin or rhEPO or rhuEPO or human EPO or human erythropoietin or recombinant EPO or recombinant erythropoietin).clm.	1	<u>L27</u>	<u>L27</u>
<u>L26</u>		3624	<u>L26</u>	<u>L26</u>
<u>L25</u>	L17 and L24 (EPO or erythropoietin or rhEPO or rhuEPO or human EPO or human erythropoietin or recombinant EPO or recombinant erythropoietin).ab.	2	<u>L25</u>	<u>L25</u>
<u>L24</u>		4960	<u>L24</u>	<u>L24</u>
<u>L23</u>	L17 and L22 (EPO or erythropoietin or rhEPO or rhuEPO or human EPO or human erythropoietin or recombinant EPO or recombinant erythropoietin).ti.	2	<u>L23</u>	<u>L23</u>
<u>L22</u>		1652	<u>L22</u>	<u>L22</u>
<u>L21</u>	L17 and L20 (composition\$ or formulation\$ or solution\$ or preparation\$ or pharmaceutical\$ or therapeut\$).ti. or (composition\$ or formulation\$ or solution\$ or preparation\$ or pharmaceutical\$ or therapeutical\$).ab. or (composition\$ or formulation\$ or solution\$ or preparation\$ or pharmaceutical\$ or therapeutical\$).clm.	19	<u>L21</u>	<u>L21</u>
<u>L20</u>		8587031	<u>L20</u>	<u>L20</u>
<u>L19</u>	L17 and L18 (composition\$ or formulation\$ or solution\$ or preparation\$ or pharmaceutical\$ or therapeut\$) with (EPO or erythropoietin or rhEPO or rhuEPO or human EPO or human erythropoietin or recombinant EPO or recombinant erythropoietin)	8	<u>L19</u>	<u>L19</u>
<u>L18</u>		9794	<u>L18</u>	<u>L18</u>
<u>L17</u>	(L15) and (EPO or erythropoietin or rhEPO or rhuEPO or human EPO or human erythropoietin or recombinant EPO or recombinant erythropoietin)	148	<u>L17</u>	<u>L17</u>
<u>L16</u>	(L15) and (EPO or erythropoietin or rhEPO or rhuEPO or human EPO or human erythropoietin or recombinant EPO or recombinant erythropoietin)	148	<u>L16</u>	<u>L16</u>
<u>L15</u>	(L14) and (surfactant\$) and (neutral amino acid\$ or glycine or alanine or leucine or isoleucine) and (salt\$) and (buffer\$)	264	<u>L15</u>	<u>L15</u>

<u>L14</u>	L11 and L13	565	<u>L14</u>	<u>L14</u>
<u>L13</u>	(L12) and (mannitol)	2359	<u>L13</u>	<u>L13</u>
<u>L12</u>	(sugar or sugar alcohol or mannitol) with (m/v or mass/vol or weight/vol or mass/volume or wt/volume or wt/vol\$ or weight/volume or w/v)	3020	<u>L12</u>	<u>L12</u>
<u>L11</u>	(PEG\$ or propylene glycol or polyethylene glycol or glycerol or polypropylene glycol or polyhydr\$) with (m/v or mass/vol or weight/vol or mass/volume or wt/volume or wt/vol\$ or weight/volume or w/v)	12951	<u>L11</u>	<u>L11</u>
<u>L10</u>	L6 and L7	0	<u>L10</u>	<u>L10</u>
<u>L9</u>	L5 and L7	0	<u>L9</u>	<u>L9</u>
<u>L8</u>	L3 and L7	0	<u>L8</u>	<u>L8</u>
<u>L7</u>	(PEG\$ or propylene glycol or polyethylene glycol or glycerol or polypropylene glycol or polyhydr\$) with (m/v or mass/vol or weight/vol or mass/volume or wt/volume or wt/vol\$ or weight/volume or w/v)	12632	<u>L7</u>	<u>L7</u>
<u>L6</u>	(mannitol) with (m/v or mass/vol or weight/vol or mass/volume or wt/volume)	17	<u>L6</u>	<u>L6</u>
<u>L5</u>	L2 and L4	13	<u>L5</u>	<u>L5</u>
<u>L4</u>	(sugar or sugar alcohol) with (mannitol)	31530	<u>L4</u>	<u>L4</u>
<u>L3</u>	(L2) and (mannitol)	18	<u>L3</u>	<u>L3</u>
<u>L2</u>	(sugar or sugar alcohol or mannitol) with (m/v or mass/vol or weight/vol or mass/volume or wt/volume)	34	<u>L2</u>	<u>L2</u>
<u>L1</u>	(sugar or sugar alcohol or mannitol) with (m/v or mass/vol or mass/volume or wt/volume)	33	<u>L1</u>	<u>L1</u>

END OF SEARCH HISTORY

